

SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1. Product identifier** Product form : Mixture : DENSURF DA 202 Product name : Blend of surfactants Type of product 1.2. Relevant identified uses of the substance or mixture and uses advised against : Industrial use Main use category Use of the substance/mixture : It is used for pigment dispersion. 1.3. Details of the supplier of the safety data sheet DENGE KİMYA VE TEKSTİL SAN. TİC. A.Ş. Velimeşe Organize Sanayi Bölgesi Mah. 259.Sok. No:4/1 Ergene TEKİRDAĞ TÜRKİYE T +90 (0282) 674 54 00 - F +90 (0282) 674 50 01 mduvenci@dengekimya.com - www.chemistryforbetterfashion.com 1.4. Emergency telephone number Emergency number : +90 (0282) 674 54 00 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. <u>-----</u> ~

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Full text of H-statements: see section 16	
Adverse physicochemical, human health and	: Causes skin irritation. May cau

: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.

environmental effects
2.2. Label elements

Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.

Hazard pictograms (SEA) GHS05 GHS07 Signal word (SEA) : Danger Hazardous ingredients : Triisobutyl phosphate; Ethoxylated Alcohol; Docusate sodium Hazard statements (SEA) : H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. Precautionary statements (SEA) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.



#### SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

Other hazards not contributing to the classification

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.
Docusate sodium	-	< 55,3	Skin Irrit. 2, H315 Eye Dam. 1, H318
Triisobutyl phosphate	CAS-No.: 126-71-6 EC-No.: 204-798-3	3,5 – 5	Skin Sens. 1, H317
Ethoxylated Alcohol	CAS-No.: 69011-36-5 EC-No.: 931-138-8	3,5 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	: If medical advice is needed, have product container or label at hand. If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person. People with over sensibility problems are not allowed to work or be exposed to the product.
First-aid measures after inhalation	: If experiencing respiratory symptoms: Call a poison center or a doctor. Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Obtain medical attention if pain, blinking or redness persists. Consult an ophtalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul><li>Irritation. May cause an allergic skin reaction.</li><li>Serious damage to eyes.</li></ul>

# densurf Safety Data Sheet

according to Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals published in the Official Journal numbered 30105 on June 23, 2017

SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Precautionary measures fire	: Do not allow contact with air. Keep container tightly closed and away from heat, sparks and flame. Keep container closed when not in use.	
Firefighting instructions	: In case of fire: stop leak if safe to do so. Cool laterally with water containers exposed to flames, even after the fire is extinguished. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
Other information	: On exposure to high temperature, may decompose, releasing toxic gases.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	Evacuate area. Avoid contact with skin and eyes. Do not handle until all safety precautions have been read and understood. Stop leak if safe to do so. Absorb spillage to prevent material damage. Isolate from fire, if possible, without unnecessary risk. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures :	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothing. Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	Evacuate unnecessary personnel. Stop leak if safe to do so. Use grounded electrical/mechanical equipment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.	

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas. Notify authorities if liquid enters sewers or public waters.



#### SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

For containment	: Consult an expert on waste disposal or treatment. Do not touch or walk on the spilled product. Cover spill with non combustible material, e.g.: sand, earth, vermiculite. Collect spillage. Using a clean shovel, put the material in a dry container and cover without compressing it. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	If the product is liquid. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). If the product is solid. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.
Other information	Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Remove contaminated clothes.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	: Store in a well-ventilated place. Keep container tightly closed. Comply with applicable regulations. Take precautionary measures against static discharge.
Storage conditions	<ul> <li>Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a closed container. Protect from moisture. Keep only in original container.</li> </ul>
Incompatible products	: Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity.
Incompatible materials	: For further information, refer to section 10 : "Stability and Reactivity".
Storage area	: Store away from heat. Store in a well-ventilated place.
Packaging materials	: Keep only in the original container in a cool, well-ventilated place away from combustible materials.
Storage class (LGK, TRGS 510)	: LGK 12 - Non-combustible liquids

7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Measure concentrations regularly, and at the time of any change occuring in conditions likely to have consequences on workers exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure that there is a suitable ventilation system.
Personal protective equipment	: Gloves. Protective goggles. Wear a mask. Protective clothing.
Hand protection	: Protective gloves
Eye protection	: Safety glasses



SDS TR reference: SDS 081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0



- : Wear suitable protective clothing
  - : In case of insufficient ventilation, wear suitable respiratory equipment



Environmental exposure controls

: Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
,	•
Appearance	Clear/Slightly Flu Liquid.
Colour	: Clear colorless/ light yellowish liquid
Odour	: Mixture contains one or more component(s) which have the following odour:
Odour threshold	: No data available
рН	: 5,5±1
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

Solid content (160°C)

: 55 ± 2

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).



SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

## 10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effec	ts
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Triisobutyl phosphate (126-71-6)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-1 (Acute Oral Toxicity), Guideline: other:
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: other:, Remarks on results: other:
LC50 Inhalation - Rat	> 5,14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
Ethoxylated Alcohol (69011-36-5)	
LD50 oral rat	300 – 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg
Docusate sodium	
LD50 dermal rabbit	> 10000 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Causes skin irritation. pH: 5,5± 1
Serious eye damage/irritation	: Causes serious eye damage. pH: 5,5± 1
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Ethoxylated Alcohol (69011-36-5)	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Docusate sodium	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified



SDS TR reference: SDS.081 Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short–term (acute)	<ul> <li>The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.</li> <li>Not classified</li> <li>Not classified</li> </ul>
Triisobutyl phosphate (126-71-6)	
LC50 - Fish [1]	> 12,6 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	24 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	14,3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Ethoxylated Alcohol (69011-36-5)	
LC50 - Fish [1]	10 – 100 mg/l
EC50 - Crustacea [1]	10 – 100 mg/l
EC50 72h - Algae [1]	3,4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Docusate sodium	
LC50 - Fish [1]	49 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
12.2. Persistence and degradability	
Ethoxylated Alcohol (69011-36-5)	
Biodegradation	> 60 %
12.3. Bioaccumulative potential	
DENSURF DA 202	
Bioaccumulative potential	No additional information available
12.4. Mobility in soil	
DENSURF DA 202	
Mobility in soil	No additional information available
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
	. Not closeified

Ozone

- : Not classified
- : No additional information available



#### SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional waste regulation	: Disposal must be done according to official regulations. Waste Management Regulation published in the Official Journal numbered 29314 on April 2, 2015.	
Waste treatment methods	: Assure that emissions are compliant with all applicable air pollution control regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations Additional information	<ul><li>Avoid release to the environment.</li><li>Consult an expert on waste disposal or treatment. Do not re-use empty containers.</li></ul>	

# **SECTION 14: Transport information**

IMDG	ΙΑΤΑ	ADN	RID
g name			
Not applicable	Not applicable	Not applicable	Not applicable
ption			
Not applicable	Not applicable	Not applicable	Not applicable
lass(es)			
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable
ards			
Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
	g name Not applicable iption Not applicable ilass(es) Not applicable Not applicable Not applicable ards Dangerous for the environment: No	g name       Not applicable     Not applicable       iption     Not applicable       Not applicable     Not applicable       Ilass(es)     Not applicable       Not applicable     Not applicable       Image: Not applicable     Not applicable       Image: Not applicable     Not applicable       Image: Not applicable     Not applicable       Image: Not applicable     Not applicable	g name     Not applicable     Not applicable       Not applicable     Not applicable     Not applicable

14.6. Special precautions for user

Overland transport No data available

Transport by sea No data available

Air transport No data available

Inland waterway transport No data available

Rail transport No data available



SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. National regulations

Local regulations (Turkey)	: Regulation on Transportation of Dangerous Goods by Road published in the Official Journal numbered 28801 on October 24, 2013
	Personal Protective Equipment Regulation published in the Official Journal numbered 30761 on May 1, 2019
	Regulation on Use of Personal Protective Equipments in Workplaces published in the Official Journal numbered 28695 on July 2, 2013
	Occupational Health and Safety Regulation published in the Official Journal numbered 25311 on December 9, 2003
	Regulation on Test Methods that will be Applied to Determine the Physicochemical,
	Toxicological and Ecotoxicological Properties of Substances and Mixtures published in the
	Official Journal numbered 28848 on December 11, 2013
	Regulation on Health and Safety Precautions When Working with Chemical Substances published in the Official Journal numbered 28733 on August 12, 2013
	Regulation on Health and Safety Precautions When Working with Carcinogenic and
	Mutagenic Substances published in the Official Journal numbered 28730 on August 6, 2013 according to By-law on Registration, Evaluation, Authorization and Restriction of Chemicals (O.G: 23.06.2017 - 30105)
	Waste Management Regulation published in the Official Journal numbered 29314 on April
	2, 2015
	Classification according to Classification, Labelling and Packaging of Substances and
	Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December
	11, 2013.
This product doesn't contain any substances that is co	ontrolled or prohibited for use according to the Regulation on Ozone Depleting Substances
published in the Official Journal numbered 30031 on A	April 7, 2017.

Contains no substances with KKDIK Annex 17 restrictions

Substance(s) are not subject to Regulation on Persistent Organic Pollutants (O.G. 14.11.2018-30595)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	



#### SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

Abbreviations and acronyms	
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: ECHA (European Chemicals Agency). Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.

Full text of H- and EUH-statements	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.



#### SDS TR reference: SDS.081

Issue date: 16.01.2018 Revision date: 19.03.2024 Version: 7.0

Full text of H- and EUH-statements		
H318	Causes serious eye damage.	
Safety Data Sheet au	uthor's	
Name	MERVE ASLI DÜVENCİ	
Certificate number	LONCA KDU 65/2021.10	
Certificate valid until	06/03/2026	
Contact information	mduvenci@dengekimya.com	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.